



Safety Data Sheet

infosafe
CS: 1.7.2

Page: 1 of 5

Infosafe No™ 3CHK6 Issue Date : September 2019 RE-ISSUED by ABS


Product Name : **DECAL MAYNE HEALTH (Soft)**

Classified as hazardous

1. Identification

GHS Product Identifier	DECAL MAYNE HEALTH (Soft)
Product Code	ADMHS
Company Name	AUSTRALIAN BIOSTAIN Pty Ltd
Address	24 - 28 Stratton Drive, Traralgon, Victoria, Australia, 3844 www.australianbiostain.com.au
Telephone/Fax Number	Tel: (03) 5176 2855
Emergency phone number	CHEMCALL (24 hours): 1800 127 406 (Australia) / +64-4-917-9888 (International)
Recommended use of the chemical and restrictions on use	Laboratory reagent
Other Information	Australian Biostain Pty Ltd does not warrant that this product is suitable for any use or purpose. The user must ascertain the suitability of the product before use or application intended purpose. Preliminary testing of the product before use or application is recommended. Any reliance or purported reliance upon Australian Biostain Pty Ltd with respect to any skill or judgement or advice in relation to the suitability of this product of any purpose is disclaimed. Except to the extent prohibited at law, any condition implied by any statute as to the merchantable quality of this product or fitness for any purpose is hereby excluded. This product is not sold by description. Where the provisions of Part V, Division 2 of the Trade Practices Act apply, the liability of Australian Biostain Pty Ltd is limited to the replacement of supply of equivalent goods or payment of the cost of replacing the goods or acquiring equivalent goods.

2. Hazard Identification

GHS classification of the substance/mixture	Corrosive to Metals: Category 1 Skin Corrosion/Irritation: Category 1B
Signal Word (s)	DANGER
Hazard Statement (s)	H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage.
Pictogram (s)	Corrosion, 
Precautionary statement – Prevention	P234 Keep only in original container. P260 Do not breathe fume/gas/mist/vapours/spray. P264 Washthoroughly after handling.
Precautionary statement – Response	P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P363 Wash contaminated clothing before reuse. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P310 Immediately call a POISON CENTER or doctor/physician. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P390 Absorb spillage to prevent material damage. P405 Store locked up.
Precautionary statement – Storage	P406 Store in corrosive resistant/... container with a resistant inner liner.
Precautionary statement – Disposal	P501 Dispose of contents/container according to local, state and federal regulations.



Safety Data Sheet

infosafe
CS: 1.7.2

Page: 2 of 5

Infosafe No™ 3CHK6 Issue Date : September 2019 RE-ISSUED by ABS

Product Name : **DECAL MAYNE HEALTH (Soft)**

Classified as hazardous

3. Composition/information on ingredients

Chemical Liquid

Characterization

Ingredients

<u>Name</u>	<u>CAS</u>	<u>Proportion</u>	<u>Hazard Symbol</u>	<u>Risk Phrase</u>
Formic Acid	64-18-6	11.5 %		
Sodium formate	141-53-7	3.5 %		
Water to make a total of 100%	7732-18-5	-		

4. First-aid measures

Inhalation	If inhaled, remove from contaminated area to fresh air immediately, avoid becoming a casualty. Make patient comfortable, keep warm and at rest until fully recovered. If breathing is difficult (or develops a bluish skin discolouration), supply oxygen by a qualified person. Apply artificial respiration with a respiratory medical device if not breathing. Do not use mouth to mouth resuscitation. Immediately medical attention is required.
Ingestion	Rinse mouth thoroughly with water immediately, repeat until all traces of product have been removed. DO NOT INDUCE VOMITING. Seek immediate medical advice.
Skin	Remove contaminated clothing and wash affected skin with soap and water. If rapid recovery does not occur, obtain medical attention
Eye contact	Immediately irrigate with copious quantity of water for at least 15 minutes. Eyelids to be held open. In all cases of eye contamination it is a sensible precaution to seek medical advice.
First Aid Facilities	Maintain eyewash fountain and safety shower in work area.
Advice to Doctor	Treat symptomatically based on judgement of doctor and individual reactions of the patient.
Other Information	If poisoning occurs, contact a Doctor or Poisons Information Centre. Phone 13 1126 from anywhere in Australia.

5. Fire-fighting measures

Hazards from Combustion Products	The product will support combustion of oxidisable materials. Vapour may travel to source of ignition and flash back. On burning, will emit toxic fumes, including oxides of carbon. The packaging material may burn to emit noxious fumes
Specific Methods	Small fire: Use dry chemical, CO2 or water spray. Large fire: Use water spray, fog or foam - Do NOT use water jets. If safe to do so, move undamaged containers from the fire area. Cool containers with flooding quantities of water until well after the fire is out. Avoid getting water inside the containers.
Specific hazards arising from the chemical	May burn but do not ignite readily. Containers may explode when heated. Runoff may pollute waterways. Fire will produce irritating, poisonous and/or corrosive gases.
Hazchem Code	2X
Precautions in connection with Fire	Wear SCBA and chemical splash suit. Fully encapsulating, gas-tight suits should be worn for maximum protection. Structural firefighter's uniform is NOT effective for these materials.

6. Accidental release measures

Spills & Disposal	Eliminate all ignition sources. Do NOT touch or walk through spilled product. Do NOT touch damaged containers or spilled material unless wearing appropriate protective clothing. Stop leak if safe to do so. Prevent entry into waterways, drains, confined areas.
Personal Precautions	Evacuate the area of all non-essential personnel. Avoid inhalation, contact with skin, eyes and clothing.
Personal Protection	Wear protective clothing specified for normal operations (see Section 8)
Clean-up Methods - Small Spillages	Absorb with dry earth, sand or other non-combustible material. Neutralise with lime or soda ash. Use clean nonsparking tools to collect and seal in properly labelled drums for disposal in an area approved by local authority bylaws. Wash area down with excess water to remove residual material.

7. Handling and storage

Precautions for Safe Handling	Handle and open containers with care. When opening containers, avoid inhalation of headspace gases. Use in a well-ventilated area. Prevent formation of aerosols.
--------------------------------------	---



Safety Data Sheet

Infosafe No™ 3CHK6 Issue Date : September 2019 RE-ISSUED by ABS

Product Name : **DECAL MAYNE HEALTH (Soft)**

Classified as hazardous

Conditions for safe storage, including any incompatibilities Store away from sources of heat or ignition. Store away from oxidizing agents. Store away from combustible materials. Keep containers securely sealed and protected against physical damage.

Corrosiveness Metal containers.

Storage Regulations Refer Australian Standard AS 3780 - 1994 'The Storage and Handling of Corrosive Substances'.

8. Exposure controls/personal protection

Occupational exposure limit values	Name	STEL		TWA		Footnote
		mg/m3	ppm	mg/m3	ppm	
	Formic Acid	19	10	9.4	5	
Other Exposure Information	No exposure standards have been established for this product by Safe Work Australia, however, the TWA exposure standard for dusts/mists not otherwise specified is 10 mg/m3. All atmospheric contamination should be kept to as low a level as is workable. Safe Work Australia has established the above exposure limits for Formic acid. These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity. The STEL is an exposure value that should not be exceeded for more than 15 minutes and should not be repeated for more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The exposure value at the TWA is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. In industrial situations maintain the concentrations values below the TWA. This may be achieved by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. These methods should be used in preference to personal protective equipment.					
Appropriate engineering controls	Where ventilation is not adequate, respiratory protection may be required. Avoid breathing dust, vapours or mists. Respiratory protection should comply with AS 1716 - Respiratory Protective Devices and be selected in accordance with AS 1715 - Selection, Use and Maintenance of Respiratory Protective Devices. Filter capacity and respirator type depends on exposure levels. In event of emergency or planned entry into unknown concentrations a positive pressure, full-facepiece SCBA should be used. If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.					
Respiratory Protection	The use of a face shield, chemical goggles or safety glasses with side shield protection as appropriate. Must comply with Australian Standards AS 1337 and be selected and used in accordance with AS 1336.					
Eye Protection	Wear gloves of impervious material conforming to AS/NZS 2161: Occupational protective gloves - Selection, use and maintenance. Final choice of appropriate glove type will vary according to individual circumstances. This can include methods of handling, and engineering controls as determined by appropriate risk assessments. Avoid skin contact when removing gloves from hands, do not touch the gloves outer surface. Dispose of gloves as hazardous waste.					
Hand Protection	Personal protective equipment should not solely be relied upon to control risk and should only be used when all other reasonably practicable control measures do not eliminate or sufficiently minimise risk. Guidance in selecting personal protective equipment can be obtained from Australian, Australian/New Zealand or other approved standards.					
Personal Protective Equipment	Do not eat, drink or smoke in work areas. Wash hands thoroughly after handling this material. Maintain good housekeeping.					
Hygiene Measures						

9. Physical and chemical properties

Form	Liquid
Appearance	Colourless liquid.
Odour	Strong acrid.
Solubility in Water	Miscible in all proportions.
pH	~2.2

10. Stability and reactivity

Reactivity Reacts with alkalis and amines. Exothermic reaction.



Safety Data Sheet

infosafe
CS: 1.7.2

Page: 4 of 5

Infosafe No™ 3CHK6 Issue Date : September 2019 RE-ISSUED by ABS

Product Name : **DECAL MAYNE HEALTH (Soft)**

Classified as hazardous

Chemical Stability	Stable under normal use conditons.
Conditions to Avoid	Avoid exposure to heat, direct sunlight, open flames or other sources of ignition.
Incompatible Materials	Oxidisers, metals.
Hazardous Polymerization	Will not occur.

11. Toxicological Information

Acute Toxicity - Oral	Formic acid: LD50 730 mg/kg body weight.
Acute Toxicity - Inhalation	Formic acid: LC50 7.4 mg/L body weight.
Ingestion	Cause severe burns to the mouth, throat and stomach.
Inhalation	Inhalation of vapours can cause severe irritation of nose, throat, and upper respiratory tract. Inhalation of higher concentrations may cause central nervous system effects and respiratory/lung damage.
Skin	Causes severe burns. Symptoms may include redness, burning, and swelling of skin, burns, and other skin damage.
Eye	Causes severe burns and eye damage. Risk of blindness.
Respiratory sensitisation	Not classified based on available information.
Skin Sensitisation	Not classified based on available information.
Germ cell mutagenicity	Not classified based on available information.
Carcinogenicity	Not listed in the IARC Monographs.
Reproductive Toxicity	No evidence of reproductive effects.
STOT-single exposure	Not classified based on available information.
STOT-repeated exposure	Not classified based on available information.
Aspiration Hazard	Not classified based on available information.
Chronic Effects	Prolonged or repeated exposure to low concentrations may cause skin irritation and burns. Prolonged or repeated exposure may cause liver and kidney damage.

12. Ecological information

Ecological Information	No ecology data available for this product.
Ecotoxicity	Harmful effect due to pH shift.
Environmental Protection	Do not discharge to the environment.

13. Disposal considerations

Disposal Considerations	Whatever cannot be saved for recovery or recycling should be disposed of according to relevant local, state and federal government regulations.
--------------------------------	---

14. Transport information

Transport Information	Dangerous goods of Class 8 (Corrosive) are incompatible in a placard load with any of the following: Class 1, Class 4.3, Class 5, Class 6, if the Class 6 dangerous goods are cyanides and the Class 8 dangerous goods are acids, Class 7; and are incompatible with food and food packaging in any quantity.
U.N. Number	1760
UN proper shipping name	CORROSIVE LIQUID, N.O.S. - (Contains Formic acid 10.0%)
Transport hazard class(es)	8
Hazchem Code	2X
Packaging Method	3.8.8
Packing Group	III



Safety Data Sheet

infosafe
CS: 1.7.2

Page: 5 of 5

Infosafe No™ 3CHK6 Issue Date : September 2019 RE-ISSUED by ABS

Product Name : **DECAL MAYNE HEALTH (Soft)**

Classified as hazardous

EPG Number 8A1

IERG Number 37

15. Regulatory information

Regulatory Information All of the significant ingredients in this formulation are compliant with NICNAS regulations. Not listed under WHS Regulation 2011, Schedule 10 - Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

Poisons Schedule S5

Hazard Category Corrosive

16. Other Information

Literature References Commonwealth Department of Health and Aged Care, 'Standard for the Uniform Scheduling of Drugs and Poisons No. 18', Commonwealth of Australia, Canberra 2002.
Lewis, Richard J. Sr. 'Hawley's Condensed Chemical Dictionary 13th. Ed.', Rev., John Wiley & Sons, Inc., NY, 1997.
National Road Transport Commission, 'Australian Dangerous Goods Code 6th. Ed.', AGPS, Canberra, 1998.
South Australia Government, 'Approved Code of Practice for the Labelling of Workplace Substances', 1995.
Standards Australia, 'SAA/SNZ HB76:1997 Dangerous Goods - Initial Emergency Response Guide', Standards Australia/Standards New Zealand, 1997.
Worksafe Australia, 'Approved Criteria for Classifying Hazardous Substances [NOHSC:1008(1999)]', AusInfo, Canberra 1999.
Worksafe Australia, 'List of Designated Hazardous Substances [NOHSC:10005(1999)]', AusInfo, Canberra 1999.
Worksafe Australia, 'National Code of Practice for the Labelling of Workplace Substances [NOHSC:2012(1994)]', AGPS, Canberra 1994.
Worksafe Australia, 'National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)]', AusInfo, Canberra 1995.
...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.
The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.