## **AUSTRALIAN CHEMICAL REAGENTS**

# **SAFETY DATA SHEET**

Date Prepared: May 2019

1

Version No:

# 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: Arsenic Standard 1000 mg/L

Product Code: 4138

Other Names:

Uses: Analytical Reagent

Supplier: Australian Chemical Reagents

38-50 Bedford Street Gillman SA 5013

Contacts: Telephone: 61 08 84402000

Fax: 61 08 84402001

Emergency Phone: CHEMCALL 1800 127 406 (Australia) / +64-4-917-9888 (International)

# 2. HAZARDS INFORMATION

GHS Classification Carcinogenicity: Category 1

Corrosive to Metals: Category 1

Signal Word(s) Pictogram(s)

**DANGER** 



Hazard Statement(s) H290 May be corrosive to metals.

H350 May cause cancer.

**Precautionary Statement(s)** 

**Preventative** P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P234 Keep only in original container.

P281 Use personal protective equipment as required.

**Response** P308+P313 IF exposed or concerned: Get medical

advice/attention.

P390 Absorb spillage to prevent material damage.

**Storage** P405 Store locked up.

P406 Store in corrosive resistant/... container with a resistant inner liner.

**Disposal** P501 Dispose of contents/container to an approved waste disposal plant.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:

Chemical EntityCAS NoProportionArsenic (V) oxide[12044-50-7]0.2%

Arsenic Std 1000 mg/L Page 1 of 4

Hydrochloric acid [7647-01-0] 2 % Water [7732-18-5] to 100%

# 4. FIRST AID MEASURES

Safety showers and eye wash facilities should be provided.

#### Swallowed:

If conscious wash out mouth with water. Seek medical advice. Show this SDS to medical practitioner.

#### Eve:

Immediately hold eyelids open and flood with water for at least 15 minutes. Obtain medical aid. Show this SDS to medical practitioner.

#### Skin:

Remove contaminated clothing. Immediately wash skin thoroughly with water and mild soap. Seek medical advice if irritation persists. Show this SDS to medical practitioner. Launder clothing before reuse.

#### Inhaled:

Remove from contaminated air. Maintain breathing with artificial respiration if necessary. Seek medical assistance. Show this SDS to a doctor.

# 5. FIRE FIGHTING MEASURES

#### Suitable Extinguishing Media:

Water spray. Carbon dioxide, dry chemical powder, or appropriate foam.

## **Hazards From Combustion Products:**

Solutions will not burn or support combustion. Decomposition products include oxides of nitrogen and arsenic.

# **Precautions For Fire Fighters and Special Protective Equipment:**

Fire fighters and others who may be exposed to combustion products during fire should wear full protective clothing including positive pressure self-contained breathing apparatus (SCBA). Wear SCBA with full face-piece, operated in positive pressure mode when fighting fires.

Hazchem Code: 2X

## 6. ACCIDENTAL RELEASE MEASURES

#### **Emergency procedures:**

Prevent from entering waterways. Restrict access to area. Remove chemicals that can react with the spilled material. Spills are slippery

## Methods and materials for containment and clean up:

Use inert material such as sand or earth to contain spill or leak. Absorb spills with chemical absorber or vermiculite and dispose of in accordance with local regulations.

#### 7. HANDLING AND STORAGE

## **Precautions for Safe Handling:**

Do not get in eyes, on skin, on clothing. Avoid prolonged or repeated exposure.

## **Conditions for Safe Storage:**

Store sealed in original container in a cool well ventilated situation away from foods and other chemicals. Do not store in direct sunlight. Observe good hygiene and housekeeping practices.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

# **National Exposure Standards:**

Work Safe – Arsenic and soluble compounds (as As) TWA 0.05 mg/m³ (Cat 1 carcinogen); Hydrogen chloride 7.5mg/m³ TWA & Peak Limitation

Biological Limit Values: No data available.

## **Engineering Controls:**

Not required with normal use. If mists are likely to be generated maintain atmospheric concentrations well below exposure standards with extraction ventilation.

Arsenic Std 1000 mg/L Page 2 of 4

#### **Personal Protective Equipment (PPE):**

The use of nitrile or neoprene gloves complying with AS 2161 and the use of faceshield, chemical goggles or safety glasses with side shield protection complying with AS/NZS 1337 is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Clear liquid

Odour: Nil pH: 1

Freezing/melting Point:

Vapour Pressure (mm of Hg @ 25°C):

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

Specific Gravity: 1.1

Flash Point (°C):

Flammability Limits (%):

Solubility in Water (g/L):

Not flammable
Not flammable
Soluble

## 10. STABILITY AND REACTIVITY

## Chemical stability:

Stable.

#### Conditions to avoid:

Acidic solution. Will corrode metals. Will produce toxic gases on contact with cyanides, sulphides etc.

#### Incompatible materials:

Strong alkalies, powdered metals.

## Hazardous decomposition products:

Refer to section 5 (Fire Fighting Measures).

#### **Hazardous reactions:**

Hazardous polymerization will not occur.

## 11. TOXICOLOGICAL INFORMATION

#### **Health Effects:**

**Swallowed**: Harmful if swallowed. May burn or irritate gastric tissue. For arsenic oral-man LD50 1430 ug/kg, LD50 oral rat 40mg/kg.

Eye: Irritating to eye tissue.

Skin: Harmful if absorbed through skin. May irritate skin tissue with prolonged contact.

**Inhaled**: Harmful if inhaled. Inhalation of vapours may irritate nose and throat. Inhalation of mists into lungs can cause pneumonitis.

Chronic Effects: Arsenic is a carcinogen. Repeated or prolonged skin contact may cause dermatitis.

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity:**

No data available.

# Persistence and degradability:

No data available.

**Mobility:** 

No data available.

## 13. DISPOSAL CONSIDERATIONS

Contact a licensed professional waste disposal service to dispose of this material. Observe all federal, state and local environmental regulations.

Arsenic Std 1000 mg/L Page 3 of 4

## 14. TRANSPORT INFORMATION

UN Number: 3264

UN Proper Shipping Name: CORROSIVE LIQUID ACIDIC INORGANIC N.O.S (Contains hydrochloric

acid 2%)

Class and subsidiary risk(s): 8

Packing Group: III Hazchem Code: 2X

Special precautions for user: Nil

# 15. REGULATORY INFORMATION

Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP):

Schedule 7

## 16. OTHER INFORMATION

#### Disclaimer:

All information given by the Company is offered in good faith and is believed to the best of our knowledge to be accurate. However this information is offered without warranty representation inducement or licence and the Company does not assume legal responsibility for reliance upon the same.

Every person dealing with the materials referred to herein does so at his or her own risk absolutely and must make independent determinations of suitability and completeness of information from all sources to ensure their proper use.

END of SDS

Arsenic Std 1000 mg/L Page 4 of 4